AMENDMENTS TO THE CLAIMS

1. (Original) A dengue virus infection inhibitor characterized by containing, as the active ingredient, at least a carbohydrate molecule having as an essential constituent an oligosaccharide chain represented by the following formula (I):

Hex¹NAc
$$\beta$$
1-3Hex² β 1-4Hex¹ β 1-
(I)
(wherein Hex¹ and Hex² represent a hexose).

2. (Original) A dengue virus infection inhibitor characterized by containing, as the active ingredient, at least a molecule represented by the following formula (II):

$$(X)_n$$
-R (II)

(wherein X represents an oligosaccharide chain represented by the following formula (I):

 $\text{Hex}^{1}\text{NAc}\beta 1\text{-3Hex}^{2}\beta 1\text{-4Hex}^{1}\beta 1$ (I)


(wherein Hex¹ and Hex² represent a hexose); R is a substrate selected from the group consisting of a hydrogen atom, a substituent having an S, N, O or P atom, a hydrocarbon group, a lipid, a protein and a synthetic polymer, each of which may have a substituent; n is a number of 1 or greater representing the number of the oligosaccharide chains binding to R).

- **3. (Original)** The dengue virus infection inhibitor according to Claim 1 or 2, wherein either a hexose represented by Hex³ or an aminohexose represented by Hex³NAc is beta-1-4 linked to the non-reduced end of the oligosaccharide chain represented by the formula (I).
- **4.** (**Original**) The dengue virus infection inhibitor according to Claim 1 or 2, wherein Hex¹ in the oligosaccharide chain represented by the formula (I) is glucose (Glc), and Hex² is galactose (Gal) or mannose (Man).
- **5. (Original)** The dengue virus infection inhibitor according to Claim 3, wherein Hex¹ in the oligosaccharide chain represented by the formula (I) is glucose (Glc), Hex² is

galactose (Gal) or mannose (Man), and Hex ³ is galactose (Gal) or (GalNAc).	r N-acetyl galactosamine
6. (Original) The dengue virus infection inhibitor according to	
oligosaccharide chain represented by the formula (I) is paraglobo	-
Galβ1-4GlcNAcβ1-3Galβ1-4Glcβ1-	(Ia).
7. (Original) The dengue virus infection inhibitor according to	Claim 3, wherein the
oligosaccharide chain represented by the formula (I) is	
Galβ1-4GlcNAcβ1-3Manβ1-4Glcβ1-	(Ib).
8. (Original) The dengue virus infection inhibitor according to Claim 3, wherein the	
oligosaccharide chain represented by the formula (I) is	
GalNAcβ1-4GlcNAcβ1-3Galβ1-4Glcβ1-	(Ic).
9. (Cancelled)	
10. (Original) A monoclonal antibody to an oligosaccharide chain represented by the following formula (Ib):	
Galβ1-4GlcNAcβ1-3Manβ1-4Glcβ1-	(Ib).
11. (Original) A monoclonal antibody to an oligosaccharide chain represented by the following formula (Ic):	
GalNAcβ1-4GlcNAcβ1-3Galβ1-4Glcβ1-	(Ic).

12. (Currently Amended) A dengue virus infection inhibitor characterized by containing, as the active ingredient, at least a monoclonal antibody to any one of Claims 9 to 11 of the oligosaccharide chains represented by the formulae (Ia) to (Ic):

Galβ1-4GlcNAcβ1-3Galβ1-4Glcβ1- (Ia); Galβ1-4GlcNAcβ1-3Manβ1-4Glcβ1- (Ib); GalNAcβ1-4GlcNAcβ1-3Galβ1-4Glcβ1- (Ic).



19. (New) A dengue virus infection inhibitor characterized by containing, as the active ingredient, at least a monoclonal antibody to the oligosaccharide chain represented by the formulae (Ie):

Gal β 1-4GlcNAc β 1-3Man β 1-4Glc β 1-1Cer (Ie).